



# ELV Payload Safety Program Workshop Green Propulsion Update

marshall



# Outline

---

- Introduction to green propellant
- PRISMA spacecraft
- TDM solicitation and GPIM
- MSFC green propulsion roadmap
- Green auxiliary power units
- Future green thruster testing at MSFC
- Green thruster scale up
- Future mission opportunities
- Summary

# Potential replacement to Hydrazine



## Performance/Environmental/Safety Challenge




### Hydrazines are SOTA spacecraft fuel:

- Increased Operations Costs:
  - Carcinogenic Vapor (Respiratory Route)
  - Dermal Toxicity
  - Strong Reducing Agent
  - Flammable (LEL = 4.7%, UEL = 100%)
- On-Orbit Propulsion Systems Affected

<u>System</u>	<u>Mission</u>
FltSatCom	Communications
STARDUST	Deep Space Probe
INTELSAT	Communications
HEAO-B	X-Ray Astronomy

- Hundreds of Satellites Use Hydrazine for RCS & ACS



2011 Tommy Hawkins/AFRL Briefing to Partners in Environmental Technology Conference  
**Distribution Statement A: Approved for Public Release; Distribution Unlimited**

# Hawkins Cont'd




## Energetic Ionic Liquids Avenues to Lower Toxicity & Higher Performance



### • History


- An ionic compound that has a melting point at or below 100°C
- Seminal work at USAFA (Wilkes et.al.)
- Industrial solvents, green chemistry
  - Low vapor pressure, low vapor toxicity
  - Wide solubility ranges



### • ILs as *Energetic* Materials

- First energetic ILs: chemical oddities
- AFRL realizes chemical structure manipulation leads to new classes of highly, energy dense materials (HEDM) for advanced propulsion

Liquid propellants:  
Spacecraft thrusters  
DACs/ACS  
Booster engines





# Hawkins cont'd

Distribution Statement A: Approved for Public Release; Distribution Unlimited



## 'Greener' Chemical Propulsion- ILs in Advanced Monopropellants



### ADN (M.P. 92°C) is also an Energetic Ionic Liquid

- ADN-based monopropellant (LMP-103S) from ECAPS, Swedish Space Corporation
- High performance 'green' propellant (30% Improved Isp\*Density vs. hydrazine)
- 1 N Thruster using thermal and catalytic ignition flight qualified and flown (PRISMA)

### AF-M315E is US Air Force IL-Based Monopropellant

- Significant physical property and performance advantages (50% improved Isp\*Density)
- Ongoing hardware developments

Constituents	Weight %
ADN	60-65
Methanol	15-20
Ammonia	3-6
H <sub>2</sub> O	balance

\* Sjoberg et.al., Insensitive Munitions & Energetic Materials Technology Symp. Proc., Tucson, USA, May 11-14, 2009

Properties	LMP-103S	AF-M315E	Hydrazine
Isp <sub>vac</sub> , lbf sec/lbm (e = 50:1 Pc = 300 psi)	252 (theor.) 235 (del)	266 (theor.) ~ 250 (del)	242 (theor.)
Density , g/cc	1.24	1.465	1.01
Vapor Pressure (torr)	Ammonia Methanol H <sub>2</sub> O	<0.1 (w/o H <sub>2</sub> O)	14.3


\* Hawkins et.al., Proc. 4<sup>th</sup> International Association for the Advancement of Space Safety, Huntsville AL, 19 May 2010; Hawkins et.al., Proc. Fourth International Conference on Green Propellants for Space Propulsion, Noordwijk, The Netherlands, 20-22 June 2001.

# Why “Green”

---

- What is “Green” Propellant:
  - Are there environmental issues with production?
  - How well does it transport/off-load?
  - What are the bi-products of combustion?
- Performance and Characteristics:
  - Storable Liquid monopropellant
  - High Specific and Density Impulse
  - Good pulse performance
- Safety:
  - Low Sensitivity & Toxicity
  - Non Carcinogenic
  - Environmentally Benign
- Lower overall mission cost:
  - Easy to handle and transport
  - Compatible with available COTS

# Prisma Satellite – Launched June 2010



# Blended ADN Propellant

## LMP-103S

### *ADN-Based Liquid Storable "Green" Monopropellant*

Higher performance:

- Isp >6%
- Density Impulse >30%


Reduced personal and environmental hazards:

- Low sensitivity
- Low toxicity
- Non carcinogenic

Simpler to transport and handle:


- **SCAPE** not required
- Approved for air transportation

ADN




+

Solvent



+

Fuel




+

Stabilizer



Exhaust species





# Basic Characterization Testing

---

- Material compatibility
- Storage temperature range
- Long-term storability
- Radiation tolerance
- UN transport classification
- Safety tests
- Chemical and physical properties



# PRISMA Loading Advantages

## PRISMA Launch Campaign



[www.sscspace.com/ecaps](http://www.sscspace.com/ecaps)

- LMP-103S is UN class 1.4S transport certified
  - ✓ Propellant was transported as air cargo together with the satellites and associated GSE
- HPGP operations required:
  - ✓ 3 partial working days (leak checks, fueling & pressurization, decontamination)
- All handling of LMP-103S (i.e. - loading/de-loading, decontamination) declared by Yasny Range Safety as **“Non-hazardous operations”**
- Propellant Loading/De-loading **did not require SCAPE operations**
  - ✓ LMP-103S is **not sensitive** to exposure to air or humidity
- Only limited decontamination of the loading cart was required at the launch site:

Hydrazine	HPGP
470 kg <u>toxic</u> waste	3 kg <u>non-toxic</u> waste
29 kg propellant waste	1 kg propellant waste
- A **2/3 cost reduction** was realized for HPGP propellant, transportation and fueling (as compared to the hydrazine system flown)



# LMP-103S Safety & Handling

---

## Fueling:

- Using SCAPE's are not required.
- LMP-103S is not sensitive to exposure to air or humidity.

## Leak and Spills:

- Ammonia detectors can be used.
- LMP-103S spills should be taken up using adequate quantities of vermiculite absorbent.
- The saturated granules should be collected and stored in a suitable polyethylene container.
- The container and any other contaminated materials should be disposed.

## Decontamination:

- Wash contaminated areas with plenty of water.
- Provide ventilation until all ammonia and methanol vapors are removed.

# Status of MSDS

Dec 2011



Alliant Technologies Operations LLC  
Propulsion and Controls  
55 Theobald Road  
Elkton, MD 21521  
Tel: 410-352-1000  
Fax: 410-352-1592  
EMERGENCY: CHEMTREC 1-800-424-9300  
CCN202541

## MATERIAL SAFETY DATA SHEET

MSDS No. 416C  
Date Issued: 07/25/2011  
Date Revised: 12/19/2011

Approved By:   
A. Ignatz

### I. PRODUCT IDENTIFICATION

- A. Trade Name and Synonyms: LMP-103S, Liquid monopropellant
- B. DOT Description and Shipping Classification: As yet unclassified. Shipped in quantities of not more than 25 grams under DOT-SP 13481 special permit as UN0471, Articles, explosive, n.o.s. (Ammonium dinitramide), 1.4E. Special permit shipping authorization expires May 31, 2013.
- C. DOT Description and Shipping Classification: For the purpose of shipping the samples of LMP-103S in Special Packaging for examination only, the following tentative shipping description and classification is assigned: Propellant, liquid, UN0495, 1.3C, CA-1999080005.
- D. DOT Description and Shipping Classification: For the purpose of shipping the samples of LMP-103S in Special Packaging for examination only, the following tentative shipping description and classification is assigned: Substances, explosive, n.o.s. (ammonium dinitramide, methanol), UN0475, 1.1D, CA-1999080005.

### II. PHYSICAL DATA

- A. Appearance and Odor: Clear to light yellow liquid, odd, pungent odor.
- B. Volatiles: Methanol, Ammonia

1 of 5

Apr 2013

MATERIAL SAFETY DATA SHEET  
AIR FORCE RESEARCH LABORATORY  
RQRP/AREA 3-30  
EDWARDS AFB, CALIFORNIA 93524 - 5000  
(661) 275 - 5787

April 17, 2013

#### SECTION I - MATERIAL IDENTIFICATION

Proper Shipping Name: AF-M315E  
Hazard Class: Class "C" Explosive (1.3)  
Description: Liquid Monopropellant

#### SECTION II - HAZARDOUS INGREDIENTS

Hazardous Contents: Hydroxylammonium nitrate (HAN)-based propellant

#### SECTION III - PHYSICAL DATA

Description: Translucent, light Yellow-Orange Liquid  
Appearance: Liquid  
Color: light yellow-orange  
Odor: No Discernible Odor  
Specific Gravity: 1.46  
Freezing Point: Does not freeze; glasses at -80°C

Reactivity in Water: None

#### SECTION IV - FIRE AND EXPLOSION

Flash Point: Not Applicable  
Autoignition Temperature: 140 C (runaway temperature onset for slow cook-off)  
Flammable Limits in Air (% by Volume),  
Lower: Not Applicable  
Upper: Not Applicable

Apr 2008



Program Identification Number  
Version: 3

## SPACECRAFT PROPULSION SYSTEM Contractual Document

Title of Document: Propellant LMP-103S MSDS

Registration Number: DOX-RBS-#63054 Issue Date: 2008-04-21

Contract: ESA Phase 3

Work Package Number: WP2200

Prepared:   
Peter Thormählen Date: 2008-04-17

Approved:   
Kjell Anflo Date: 2008-04-18

Released:   
Börje Åstrand Date: 2008-04-21

### COMPANY CONFIDENTIAL

This document contains confidential information proprietary to ECAPS and its suppliers and may not be used, reproduced, published or distributed in any form in whole or in part without prior authorisation from ECAPS

Distribution, SSC: BOA, KAN, THO, GBE, TOH, RMO

Distribution:



# TDM Solicitation

---

- After presenting to this forum in Dec 2011, I held a Green Propulsion TIM at KSC in January 2012.
- Coinciding with that meeting was the BAA announcement for the Technology Demonstration Mission focused on green propulsion.
- The BAA solicited demonstrations of monopropellant alternatives:
  - in-space RCS
  - in-space primary propulsion
  - launch vehicle RCS
  - launch vehicle power generation
- When the dust had settled, 16 proposals were received competing for a cost cap of \$50M and a single award was granted in Aug 2012.

# Green Propellant Infusion Mission (GPIM)


## NASA STMD Technology Demonstration Mission

### Objective:

In-space demonstration of a green monopropellant propulsion system with the purpose of infusing the technology into the marketplace.

### Approach/Status:

- Three-year program to develop and fly AF-M315E monopropellant propulsion system
  - Base period: Ground testing of thrusters to TRL 7
  - Option 1: Qualification of propulsion system to TRL 7
  - Option 2: 60-day, on-orbit demonstration of propulsion system to TRL 9
- GPIM team led by Ball Aerospace with AFRL, NASA GRC, and Aerojet as co-investigators; mission support from USAF SMC and NASA KSC
- Launch scheduled for September 2015




DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

# MSFC approach to future

---

- History of taking mid-range TRL propulsion technologies to flight.
- Basic elements of green propulsion:
  - MSFC interested in the system solution, replacing hydrazine for both spacecraft propulsion as well as auxiliary power units for booster gimbaling.
  - Agnostic about propellants, want to see more than one succeed to maximize usage by industry and government.
  - Scale up thruster technology to the 100-200 lbf class (440 to 880N).
  - Infuse the hardware, as thruster classes mature, into near term missions to expedite acceptance by community.
  - Safety protocol by various ranges can create precedence for the different propellant mixtures.

# MSFC Green Propulsion Roadmap



***MSFC leadership in green propulsion will enable replacement of hydrazine monopropellant over a large range of applications.***



# Continued interest from MSFC

---

- MSFC purchased a 22N green propellant thruster from ATK & ECAPS in August 2012.
  - Acceptance testing in Sweden was completed in March 2014 with continued testing at MSFC planned.
- Flight Programs and Partnerships Office funded excess hardware shipment to MSFC.
  - 2 F-16 emergency power units from the Davis-Monthan AFB.
  - Spare gas generator previously used on SRB APU for nozzle gimbal.
  - 30+ year old Orbiter-heritage APU from WSTF.
  - Myriad of power unit components from KSC.
- MSFC Engineering purchased 0.1N and 1N AF-M315E thrusters and have begun test campaigns.
- Center Innovation and SLS Advanced Development have funded testing of EPU's and thrusters at MSFC.

# APU Test Plan

(2) F-16A EPU's



Phase 1 Feasibility Testing


Phase 2 Gas Generator Testing

Phase 3 System Testing

SRB GG5116



Orbiter APU Engineering Test Unit S/N-008



spares

spares

Additional hardware being excessed from SLS Core Stage:

- 9 gas generators
- 2 gas generator valve modules

# Status of APU Feasibility testing

- MSFC received key drawings, operations manuals and acceptance test procedures for the F-16 EPU.
- In collaboration with AFRL, we are working on reactivity of Hydroxyl Ammonium Nitrate (HAN) based propellants for use in power generation.
- MSFC has removed a gas generator (GG) from one assembly and are preparing to test.
- Based on the EPU GG testing, we will reinstall into assembly for additional testing.
- MSFC has had discussions with Edwards Air Force Base about a ground demo with F-16.





# 22N Acceptance Testing, Grindsjon, Sweden

- 0.5 kg throughput
- 22 test sequences
- 3 test pressures
- 200 pulses
- 10 sec max firing time
- 1.2 minutes total duration





# ECAPS Hardware Fabricated



Aerojet has also built a 220N thruster and is beginning test campaigns.

# Upcoming Missions

---

- GPIM is currently scheduled to fly in late 2015.
  - 1<sup>st</sup> flight from domestic source at KSC.
- Skybox Imaging has purchased 13 shipsets of LMP-103S hardware (52 thrusters plus spares).
  - Skysat-3 launch scheduled for 3<sup>rd</sup> quarter 2015 from India.
  - 6 more Skysats will launch on Minotaur C from VAFB late 2015/early 2016.
- Sierra Nevada selected by USAF Space Test Program to fly STPSat-5 in late 2016.
  - Will utilize (4) 1N LMP-103S thrusters.
- MSFC would like to see industry adopt use of green thrusters in ascending thrust classes as they become available.

# Summary of Center Involvement

---

- MSFC is engaged on the system solution: thrusters and power units.
- GRC is working plume diagnostics/modeling and independent thruster testing on GPIM.
- GSFC is working slosh characteristics on GPIM tank.
- JPL and ARC continually interested to infuse green propellant as potential replacement to hydrazine.
- Mike Gazarik, AA of STMD, has requested MSFC lead the development of an Agency-level green propellant roadmap involving multiple Centers.
  - Tentatively planned for August 2015 in Huntsville.

# Backup

---



# How MSFC got involved

---

- Starting in FY2010, OCE/OCT funded the Nano Energetics Propulsion Project (NEPP) led out of MSFC.
- During the execution of this project, annually-held technology assessment group meetings occurred to evaluate propellant candidates.
- In the Spring of 2011, one of the top oxidizers under consideration was ammonium dinitramide (ADN).
- MSFC was visited by ATK, ECAPS and the Swedish National Space Board to brief their development of an ADN-based monopropellant for use on the PRISMA satellite.
- By Sept 2011, personnel from MSFC, ARC and GSFC traveled to Sweden to participate in PRISMA flight operations, visit the propulsion test facilities and tour the propellant vendor.
- MSFC has become more active in the evaluation of the top two leading green propellants: LMP-103S and AF-M315E.

# MSFC In-Space Propulsion Experience

Spacecraft or System Name	Most Recent Activity*	Human Rated	Biprop (MMH/NT0)	Mono-prop (N2H4)	Oxygen/ Methane	Hydrogen Peroxide, JP-8	Dual Mode	Cold Gas	Non-Toxic	Cryogenic
Robotic Lunar Lander	Ongoing	No	● (MMH/MON-25)							
Orion Service Module Propellant Tanks	Ongoing	Yes	●							
Chandra	Flying	No	●	●			●			
Ares I Upper Stage ReCS	Ongoing	Yes		●						
Ares I First Stage RoCS	2010	Yes		●						
Ares I-X First Stage RoCS	2009	No	●							
PCAD LO2/LCH4 Engine	2008	No			●					
Demonstration of Automated Rendezvous Technology (DART)	2005	No		●				●		
NGLT LO2-Ethanol thruster	2005	No							●	●
In-House 25-lbf O2/CH4 Thruster	2005	No			●				●	●
Orbital Space Plane	2004	Yes	●	●						
X-37 Orbital Vehicle (2nd version)	2003	No	●							
X-38 Deorbit Propulsion	2002	No		●						
NGLT LO2-LH2 Thruster	2002	No							●	●
X-37 (Original version)	2001	No				●	●		●	
US Prop Module (for International Space Station (ISS))	2000	Yes	●							
X-33 Reaction Control System (gaseous O2/CH4)	2000	No			●				●	
Interim Control Module (ICM) for ISS	1998	Yes	●							
Aeroassist Flight Experiment	1994	No		●						
Combined Radiation and Release Effects Satellite	1991	No		●						
Orbital Maneuvering Vehicle (OMV)	1990	No	●	●						
Inertial Upper Stage RCS; Transfer Orbit Stage RCS	1990	No		●						
HEAO (3 spacecraft)	1981	No		●						
Skylab	1977	Yes						●		
Saturn S-IVB Auxiliary Propulsion System	1973	Yes	●							

MSFC has similar, long history with solid propellants:

- Orion LAM & ACM
- Ares-I motors (USM, BDM, FSTM, BSM)
- STAR motors
- Inertial Upper Stage
- Sounding Rockets